



0452 200 509 contact@structuralfrp.au

Australia's leading supplier of FRP solutions

Fiberglass Reinforced Plastic (FRP) grating, handrails, and stairs provide a better alternative to metal, timber and concrete structures in corrosive environments. FRP is more durable and easier to maintain and provides an anti-slip surface in both open mesh and covered-top styles.

Strong: High strength-to-weight ratio.

Low maintenance: Self-cleaning, UV resistant, corrosion resistant, and does not require painting.

Ergonomic: Provides flex that reduces physical fatigue and back strain.

Fire retardant: Meets Australian standards (i.e. Flame spread rating of class 1,25 or less, per ASTM E-84).

Easy to install: Lightweight and easy to cut with circular saws. Structural FRP Australia will supply all

necessary installation fittings and will happily pre-cut panels and sections to suit.

Chemical resistant: Please see website for details of resistances to a range corrosive materials.

Applications

- Walkway grating (mesh and covered top)
- Disability Ramps
- Shearing Sheds
- Stair Treads
- Bund Grating
- Trench and Sump Grates
- Odour Covers
- Suspended and Raised Floors
- Handrail Systems
- Support Structures
- Outdoor Decking

Locations

- Water and Waste Water Plants
- Marine industry
- Houseboats
- Swimming Pool Decking
- Chemical Processing Plants
- Offshore Drilling Platforms
- Mining Industry
- Agriculture: Including cattleyards, shearing sheds, drain covers, and horse floats







FRP Grating (Mesh)

Colours:

Yellow, Green, Charcoal

Thickness*:

25mm, 38mm, 50mm

Surface Options

Grit Top: Type 6 (Coarse): Industrial Applications

Type 8 (Fine Grit): Boardwalks, Jetties, Stair Treads, Disability Ramps

Type 9 (Super-Fine): Bare feet, Shearing Sheds

Concave Top: Often preferred by the food and beverage Industry where high

pressure cleaning is important.

| Product Code | Mesh Thickness (mm) | Height (mm) | Surface Finish (Grit) | Colours | Availability |
|---|---------------------------|----------------|-----------------------------|-------------------------|---------------|
| PG-I2538[Colour-Code] | 25mm | 38mm | Coarse (6) | Yellow, Green, Charcoal | In Stock |
| PG-I2519CGF MiniMesh | 25mm | 19mm | Fine (8) | Charcoal | In Stock |
| PG-I2319-CGS9 MiniMesh | 23mm | 19mm | Super-Fine (9) | Charcoal | In Stock |
| PG-I3838[Colour-Code] | 38 mm | 38 mm | Coarse (6) | Yellow, Green, Charcoal | In Stock |
| PG-V3838YG Highest Corrosion Resistance | 38 mm | 38 mm | Coarse (6) | Yellow | In Stock |
| PG-I3819CGF MiniMesh | 38 mm | 38 mm | Fine (8) | Charcoal | In Stock |
| PG-I5050[Colour-Code] | 50 mm | 50 mm | Coarse (6) | Yellow, Green, Charcoal | Special Order |

^{*} For load specifications please see our website at structuralfrp.au (Downloads)

| Colour | Colour Code | | |
|----------|-------------|--|--|
| Charcoal | CG | | |
| Yellow | YG | | |
| Green | GG | | |

Stair Treads

Safe and durable

Our FRP Stair treads have permanent anti-skid properties, high corrosion resistance and incredible durability. The leading edge (nosing) is made of course grip. We supply all necessary parts for installation.

Standard colours

Green


Yellow

Charcoal

Optional Nosing Colours

Yellow

Black



Handrail Systems

An alternative to metal handrail systems, FRP handrails require no maintenance and are quick to install.

You can choose between 50mm round tube or 50mm square tube profiles and the top of the curved handrail can be round or curved.

- Conforms to AS1657.
- Premium VEFR grade chemical and corrosion resistant tubing.
- Simple installation tools.
- Can be supplied in pre-assembled modules or unassembled.
- Can be secured to your existing floor support structure or as a standalone system.

















- 20 Christie Rd, Lonsdale SA 5160
- 0 0452 200 509
- structuralfrp.au

All illustrations, drawings and descriptive matter in this publication are of a generally informative nature only and do not form part of the specification of the goods. All dimensions shown are Indicative only. Structural FRP Australia reserves the right to make, without notice, such modifications in specifications, design, materials or finishes as it deems necessary or desirable. Copyright, patent, intellectual property, photographs and drawings remain the property of Structural FRP Australia and must not be reproduced without written permission.

